

www.ramseytest.com

Dave Olson

Technical sales

585-869-0512

dave@ramseyelectronics.com

Ramsey Electronics Forensics RF Test Enclosures

LIST \$495.00

STE2200F2



Features	Connectors	Isolation	Dimensions/Weight	
•Great for device collection and transportation	·	•>120dB @ 918MHz	•Exterior: 4.5"H x 7.2"W x 9.8"D •Interior: 3.2"H x 6.0"W x 8.5"D	
•1/2" GEN-2 high efficiency RF foam liner	 Suggest STEUSB2071 for full speed USB2.0 data and 5VDC charging requirements 		•Weight: 7lbs. / 3.18kg.	
•GEN-2 high efficiency RF gaskets				
•Exclusive double lip RF seal				
•Easy release latch with steady hold hinge				
•Tamper proof forensics hardware				

LIST \$1,695.00

STE3000F2

NOTE: STE3000F2 IS STANDARD WITH 6 OUTLET 120 VOLT (USA) POWER STRIP – CONTACT RAMSEY FOR PRICING AND AVAILABILITY FOR 230 VOLT POWER STRIPS FOR OTHER COUNTRIES



Features	Connectors	Isolation	Dimensions/Weight	
•Designed for lab and bench visual forensics	•RF isolated 6-outlet 110VAC power strip	•>90dB @ 918MHz	•Exterior: 12.8"H x 18.0"W x 12.0"D •Interior: 8.0"H x 17.0"W x 10.5"D	
interrogations	•RF isolated 6-pole feed-	•>85dB @ 2.4GHz	•Weight: 25lbs. / 11.34kg.	
•Patented design	though terminal block	•>80dB @ 5.8GHz		
•RF tight hands-on access to your device	•RF isolated USB2.0 high speed interface			
•		2723	Carlony Con 1 to man and Control of the Control of Cont	
•RF tight illuminated viewing of your device	•Additional options available			
•1/2" GEN-2 high efficiency RF foam liner				
•GEN-2 high efficiency RF gaskets				
•Exclusive double lip RF seal				
•Universal removable I/O panel				

LIST \$2,795.00

STE3000FAV2

NOTE: STE3000FAV2 IS STANDARD WITH 6 OUTLET 120 VOLT (USA) POWER STRIP – CONTACT RAMSEY FOR PRICING AND AVAILABILITY FOR 230 VOLT POWER STRIPS FOR OTHER COUNTRIES



Features	Connectors	Isolation	Dimensions/Weight
•Designed to record audio/video and time-stamp all forensics interrogations in your lab	•2ea RF isolated 4-pole	•>90dB @ 918MHz •>85dB @ 2.4GHz	•Exterior: 12.8"H x 18.0"W x 12.0"D •Interior: 8.0"H x 16.8"W x 10.5"D •Weight: 27lbs. / 12.25kg.
•Patented design	feed-through terminal blocks	•>80dB @ 5.8GHz	
•RF tight hands-on access to your device	•RF isolated USB2.0 high speed interface		(Pilitary of the time of the control
•RF tight illuminated viewing of your device	•Additional options available	> 0	Manada of the state
•Built-in high-res OSD color video camera with audio			The state of the s
•Built-in 500GB law enforcement DVR			
•½" GEN-2 high efficiency RF foam liner			
•GEN-2 high efficiency RF gaskets			
•Exclusive double lip RF seal			

LIST \$1,195.00

hinge

•Universal removable I/O panel

•Tamper proof forensics hardware

STE3300F2

NOTE: STE3300F2 IS STANDARD WITH 6 OUTLET 120 VOLT (USA) POWER STRIP – CONTACT RAMSEY FOR PRICING AND AVAILABILITY FOR 230 VOLT POWER STRIPS FOR OTHER COUNTRIES



Isolation Connectors Dimensions/Weight **Features** Large form factor for system testing and •RF isolated 6-outlet 110VAC •>110dB @ 918MHz •Exterior: 9.8"H x 18.0"W x 12.0"D •Interior: 8.2"H x 16.8"W x 10.8"D interrogations power strip •>100dB @ 2.4GHz •Weight: 18lbs. / 8.16kg. •1/2" GEN-2 high efficiency RF foam •RF isolated 6-pole feed-through terminal strip •>90dB @ 5.8GHz liner •GEN-2 high efficiency RF gaskets •RF isolated USB2.0 high speed interface •Exclusive double lip RF seal Additional options available •Easy release latch with steady hold

STP1100 Security Pouches



LIST \$59.00

Features	Connectors	Isolation	Dimensions/Weight	
•Quantity Discounts Available		•-100dB @ 1GHz	•Exterior: 5.5"H x 10.5"W x 0.0"D	
		•-90dB @ 3GHz	•Interior: 5.5"H x 8.2"W x 0.0"D •Weight: 1lbs. / 0.45kg.	

CONTACT RAMSEY FOR QUANTITY PRICING