


INSIDE ELEVATION "C"



INSIDE ELEVATION "D"


ACCESSORIES:

- A. POLYVINYL AND MASONITE UNDERLAYMENT
- B. ONE (1) RF SHIELDED PERSONNEL DOOR WITH CLEAR OPENING 2'-8" x 6'-5 7/8", TYPE RCM-254LT, LOW THRESHOLD SILL, INSIDE DOOR WITH WHITE PANEL
- C. ONE (1) DUAL (2-WIRE) 30 AMPERE POWER FILTER
- ONE (1) R.F. PENETRATION PANEL (12" x 12")
- E. FOUR (4) R.F. AIR VENTS (12" x 20"), 1/8" CELL HONEYCOMB, FLANGE AND DIELECTRIC COLLAR ON OUTSIDE
- TWO (2) LITHONIA LBL4 LP840 SURFACE MOUNT LED LIGHT FIXTURE
- ONE (1) GIGAFOIL 10/100/1000 ETHERNET FILTER. 100DB PERFORMANCE 10KHZ TO 10GHZ+ FIBER OPTIC ISOLATION LINK (FOIL) TECHNOLOGY
- H. ONE (1) 3/8" BRASS GROUND STUD
- VINYL FLOOR TILE INSTALLED BETWEEN FLOOR FRAMING MEMBERS
- SEISMIC BRACING AND ENGINEERING CALCULATIONS
- C. PROFESSIONAL ENGINEER STAMPED DRAWINGS
- .. WHITE PANELS INSTALLED ON INSIDE. (WALLS & CEILING)

| REVISIONS | | | | | | | |
|-----------|---|---------|----------|--|--|--|--|
| SYM. | DESCRIPTION | DATE | APPROVAL | | | | |
| _ | PRELIMINARY DRAWING | 7-14-21 | - | | | | |
| Α | REVISED PER MARK UP DRAWING (RELOCATED AIR VENT AND I/O PANEL) | 7-21-21 | - | | | | |
| В | REVISED PER MARK UP DRAWING (RELOCATED AIR VENTS) | 8-9-21 | - | | | | |

NOTES:

- PARENT ROOM FLOOR MUST BE FLAT AND LEVEL WITH IN 1/4" EVERY 10'-0" (NON-ACCUMULATIVE)."NOT BY UNIVERSAL SHIELDING CORP. "PARENT ROOM FLOOR, WALLS AND CEILING MUST BE FREE OF ANY OBSTRUCTIONS.
- FINAL FABRICATION CANNOT BE COMPLETED UNTIL DRAWING(S) IS/ARE APPROVED BY CUSTOMER
- ALL ELEVATIONS ARE SHOWN FROM INSIDE OF RF. ENCLOSURE.



| SHEET 1 OF 2 |
|--------------|
|--------------|

| | | | | | SHEET 1 | OF 2 | | |
|---|---------------------------|------------------------------|---------|------|--------------------------|-------|--|--|
| R.F. SHIELDED ENCLOSURE - | | | | | HEAT TREAT - WEIGHT - | | | |
| USC-26 TITLE: Bob Chandra 537 Moultrie Street San Francisco, CA 94110 | | UNIVERSAL SHIELDING CORP. | | | | | | |
| SCALE: 1/2"=1'-0" | DRAWN: Leslie W. | DATE: | 7-14-21 | SIZE | DRAWING NUMBER | ISSUE | | |
| REVISED: | CHECKED: - APPROVED: - | DATE: | - | D | USC-21729N | В | | |

